



TABLETS

Dosage Form	Generic Name Tablets	Strength	Pack size	Pack Type
vTablet	Amitriptyline Hydrochloride Tablets	10 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Amitriptyline Hydrochloride Tablets	25 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Azithromycin Tablets	250 mg	60	10 Blisters of 6 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Azithromycin Tablets	500 mg	3	1 Blister of 3 Tablets in One Inner Carton
			5	1 Blister of 5 Tablets in One Inner Carton
			30	10 Blisters of 3 Tablets in One Inner Carton
			50	10 Blisters of 5 Tablets in One Inner Carton
Tablet	Bisoprolol Fumarate Tablets	2.5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			30	3 Blisters of 10 Tablets in One Inner Carton
Tablet	Bisoprolol Fumarate Tablets	5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			30	3 Blisters of 10 Tablets in One Inner Carton
Tablet	Bisoprolol Fumarate Tablets	10 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			30	3 Blisters of 10 Tablets in One Inner Carton
Tablet	Buprenorphine & Naloxone Sublingual Tablets	2 mg + 0.5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
			30	30 Tablets in 1 Jar
Tablet	Buprenorphine & Naloxone Sublingual Tablets	8 mg + 2 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
			30	30 Tablets in 1 Jar
Tablet	Buprenorphine Sublingual Tablets	0.2 mg	100	5 Blisters of 20 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
Tablet	Buprenorphine Sublingual Tablets	0.4 mg	30	3 Blisters of 10 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
			100	5 Blisters of 20 Tablets in One Inner Carton
Tablet	Buprenorphine Sublingual Tablets	2 mg	28	4 Blisters of 7 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
Tablet	Buprenorphine Sublingual Tablets	8 mg	28	4 Blisters of 7 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
			7	1 Blister of 7 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton

Dosage Form	Generic Name Tablets	Strength	Pack size	Pack Type
Tablet	Carbamazepine Tablets	200 mg	50	5 Blisters of 10 Tablets in One Inner Carton
Tablet	Diazepam Tablets	5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			30	30 Tablets in 1 Jar
Tablet	Diazepam Tablets	10 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			30	30 Tablets in 1 Jar
Tablet	Diclofenac Dispersible Tablets	50 mg	7	1 Blister of 7 Tablets in One Inner Carton
			20	2 Blisters of 10 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
VTablet	Diclofenac Tablets	50 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Enalapril Maleate Tablets	5 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Enalapril Maleate Tablets	10 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Enalapril Maleate Tablets	20 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Furosemide Tablets	40 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Gastenorm Forte Tablets 10000 (Amylase + Lipase + Protease)	7500 FIP + 10000 FIP + 375 FIP	20	2 Blisters of 10 Tablets in One Inner Carton
Tablet	Gastenorm Tablets (Amylase + Lipase + Protease)	4200 FIP+ 3500 FIP + 250 FIP	20	2 Blisters of 10 Tablets in One Inner Carton
Tablet	Haloperidol Tablets	1.5 mg	50	5 Blisters of 10 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton

Dosage Form	Generic Name Tablets	Strength	Pack size	Pack Type
Tablet	Haloperidol Tablets	5 mg	50	5 Blisters of 10 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Loratidine Tablets	10 mg	15	1 Blister of 15 Tablets in One Inner Carton
			30	2 Blisters of 15 Tablets in One Inner Carton
			10	1 Blister of 10 Tablets in One Inner Carton
Tablet	Metformin Hydrochloride Tablets	500 mg	56	4 Blisters of 14 Tablets in One Inner Carton
			84	6 Blisters of 14 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
			112	8 Blisters of 14 Tablets in One Inner Carton
			500	500 Tablets in 1 Jar
Tablet	Metformin Hydrochloride Tablets	850 mg	28	2 Blisters of 14 Tablets in One Inner Carton
			56	4 Blisters of 14 Tablets in One Inner Carton
			60	6 Blisters of 10 Tablets in One Inner Carton
			84	6 Blisters of 14 Tablets in One Inner Carton
			100	10 Blisters of 10 Tablets in One Inner Carton
			300	300 Tablets in 1 Jar
Tablet	Methadone Hydrochloride Tablets	5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Metoclopramide Hydrochloride Tablets	10 mg	10	1 Blister of 10 Tablets in One Inner Carton
Tablet	Metronidazole Tablets	250 mg	10	1 Blister of 10 Tablets in One Inner Carton
Tablet	Metronidazole Tablets	500 mg	10	1 Blister of 10 Tablets in One Inner Carton

Dosage Form	Generic Name Tablets	Strength	Pack size	Pack Type
Tablet	Morphine Sulphate Prolonged Release Tablets	10 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Morphine Sulphate Prolonged Release Tablets	30 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Morphine Sulphate Tablets	10 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Morphine Sulphate Tablets	30 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Paracetamol & Tramadol Hydrochloride Dispersible Tablets	325 mg + 37.5 mg	10	1 Blister of 10 Tablets in One Inner Canon
			100	10 Blisters of 10 Tablets in One Inner Canon
			100	100 Tablets in One Jar
Tablet	Paracetamol Tablets	500 mg	20	2 Blisters of 10 Tablets in One Inner Carton
			20	20 Tablets in One PRP
			100	100 Tablets in One Jar
Tablet	Sulfamethoxazole & Trimethoprim Tablets	400 mg + 80 mg	28	28 Tablets in One PRP
			56	56 Tablets in One PRP
Tablet	Trifluoperazine Tablets	5 mg	50	5 Blisters of 10 Tablets in One Inner Carton
Tablet	Trihexyphenidyl Hydrochloride Tablets	2 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Table	Buprenorphine & Naloxone Sublingual Tablets	1/0.25 mg	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Buprenorphine & Naloxone Sublingual Tablets	0.4/0.1 mg	100	5 Blisters of 20 Tablets in One Inner Carton
Tablet	Cytisine Tablets	1.5 mg	100	10 Blisters of 10 Tablets in One Inner Carton
			100	100 Tablets in 1 Jar
Tablet	Paracetamol + Caffeine Anhydrous + Meprobamate + Codeine Phosphate Tablets	320 + 32 + 150 + 8 mg	40	2 Blisters of 20 Tablets in One Inner Carton
			100	5 Blisters of 20 Tablets in One Inner Carton
			1000	1000 Tablets in 1 Container
Tablet	Forte Enzyme Tablets	-	100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Olanzapine Tablets	2.5 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Olanzapine Tablets	5 mg	28	2 Blisters of 14 Tablets in One Inner Carton
Tablet	Olanzapine Tablets	10 mg	28	2 Blisters of 14 Tablets in One Inner Carton

Alcohol De-addiction <i>Freedom from dependence</i> Alcohol addiction, also known as alcoholism, is a disease that affects people of all walks of life. Alcohol addiction can be treated with counseling & effective medication. Rusan has world-class alcohol de-addiction products, which helps an addict to withdraw from alcohol				
Tablet	Naltrexone Hydrochloride Tablets	50 mg	30	3 Blisters of 10 Tablets in One Inner Carton
			30	30 Tablets in 1 Jar
			100	100 Tablets in 1 Jar
			100	10 Blisters of 10 Tablets in One Inner Carton
Tablet	Naltrexone Tablets for Implantation	765 mg	2	2 Tablets in One Inner Carton

ORAL SUSPENSION				
Dosage Form	Generic Name for Oral Suspension	Strength	Pack size	Pack Type
Powder for Oral Suspension	Amoxicillin Powder for Oral Suspension	125 mg/5 ml	35 g	1 Bottle in 1 Carton
		250 mg/5 ml	35 g	1 Bottle in 1 Carton

Dosage Form	Generic Name Capsule	Strength	Pack size	Pack Type
Capsule	Paracetamol, Phenylephrine Hydrochloride & Chlorpheniramine Maleate Capsules	500 mg + 10 mg + 2 mg	20	2 Blisters of 10 Capsules in One Inner Carton
Capsule	Amoxicillin Capsules	250 mg	100	10 Blisters of 10 Capsules in One Inner Carton
Capsule	Amoxicillin Capsules	500 mg	100	10 Blisters of 10 Capsules in One Inner Carton
Capsule	Calcium Dobesilate Monohydrate Capsules	500 mg	10	1 Blisters of 10 Capsules in One Inner Carton
Capsule	Flucloxacillin (As sodium) Capsules	250 mg	20	20 Capsules in one PRP Pouch
			40	40 Capsules in one PRP Pouch
			60	60 Capsules in 1 Container
			100	10 Blisters of 10 Capsules in One Inner Carton
			100	100 Capsules in 1 Container
Capsule	Fluconazole Capsules	50 mg	14	2 Blisters of 7 Capsules in One Inner Carton
Capsule	Fluconazole Capsules	100 mg	7	1 Blister of 7 Capsules in One Inner Carton
Capsule	Fluconazole Capsules	150 mg	4	1 Blister of 4 Capsules in One Inner Carton
			1	1 Blister of 1 Capsule in One Inner Carton
Capsule	Fluconazole Capsules	200 mg	28	4 Blisters of 7 Capsules in One Inner Carton
Capsule	Itraconazole Capsules	100 mg	15	1 Blisters of 15 Capsules in One Inner Carton
Capsule	Tramadol Hydrochloride Capsules	50 mg	100	5 Blisters of 20 Capsules in One Inner Carton
Capsule	Omeprazole Capsules	20 mg	20	2 Blisters of 10 Capsules in One Inner Carton
Capsule	Perilla Oil (Omega-3 & 6 Fatty Acid) Capsules	600 mg	10	1 Blister of 10 Capsules in One Inner Carton
Capsule	Curcumin + Black Pepper Extract Capsules	400 + 5 mg	10	1 Blister of 10 Capsules in One Inner Carton
Capsule	Pregabalin Capsules	25 mg	14	1 Blisters of 14 Capsules in One Inner Carton
			100	10 Blisters of 10 Capsules in One Inner Carton
			60	60 Capsules in 1 Container
			100	100 Capsules in 1 Container
			500	500 Capsules in 1 Container
Capsule	Pregabalin Capsules	50 mg	14	1 Blisters of 14 Capsules in One Inner Carton
			100	10 Blisters of 10 Capsules in One Inner Carton
			60	60 Capsules in 1 Container
			100	100 Capsules in 1 Container
			500	500 Capsules in 1 Container
Capsule	Pregabalin Capsules	75 mg	100	10 Blisters of 10 Capsules in One Carton
			60	60 Capsules in 1 Container
			100	100 Capsules in 1 Container
			500	500 Capsules in 1 Container

Dosage Form	Generic Name Capsule	Strength	Pack size	Pack Type
Capsule	Pregabalin Capsules	150 mg	14	1 Blisters of 14 Capsules in One Carton
			100	10 Blisters of 10 Capsules in One Carton
			60	60 Capsules in 1 Container
			100	100 Capsules in 1 Container
			500	500 Capsules in 1 Container
Capsule	Pregabalin Capsules	300 mg	14	1 Blisters of 14 Capsules in One Carton
			100	10 Blisters of 10 Capsules in One Carton
			60	60 Capsules in 1 Container
			100	100 Capsules in 1 Container
			500	500 Capsules in 1 Container
Capsule	Ferrous Sulphate, Vitamic C and Vitamin B Complex Capsules	-	20	2 Blisters of 10 Capsules in One Carton

Dosage Form	Generic Name Injection	Strength	Volume	Pack size	Pack Type
Injection - Cartridges	Apomorphine Injection	10 mg/ml	3 ml	5	1 Tray of 5 Cartridges in One Inner Carton
Injection - Ampoule	Amitriptyline Hydrochloride Injection	10 mg/ml	2 ml	5	1 Tray of 5 Ampoules
				10	1 Tray of 10 Ampoules
Injection - Ampoule	Apomorphine Hydrochloride Injection	10 mg/ml	2 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Apomorphine Hydrochloride Injection	10 mg/ml	5 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Bupivacaine in Dextrose Injection	-	4 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Diazepam Injection	5 mg/ml	2 ml	10	1 Tray of 10 Ampoules
Injection - Ampoule	Diclofenac Sodium Injection	25 mg/ml	3 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection Pr - efilled Syringe	Enoxaparin Sodium Injection	20 mg/0.2 ml	0.2 ml	1	1 Tray of 1 PFS in One Inner Carton
Injection Pr - efilled Syringe	Enoxaparin Sodium Injection	40 mg/0.4 ml	0.4 ml	1	1 Tray of 1 PFS in One Inner Carton
Injection Pr - efilled Syringe	Enoxaparin Sodium Injection	60 mg/0.6 ml	0.6 ml	1	1 Tray of 1 PFS in One Inner Carton
Injection - Ampoule	Ephedrine Sulfate Injection	50 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton

Dosage Form	Generic Name Injection	Strength	Volume	Pack size	Pack Type
Injection - Ampoule	Fentanyl Citrate Injection	50 mcg/ml	10 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Fentanyl Citrate Injection	50 mcg/ml	2 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Haloperidol Injection	5 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
				5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Hyoscine Butylbromide Injection	20 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Vial	Ketamine Injection	50 mg/ml	2 ml	5	1 Tray of 5 Ampoules in One Inner Carton
			10 ml	5	1 Tray of 5 Vials in One Inner Carton
Injection - Ampoule	Metoclopramide Hydrochloride Injection	5 mg/ml	2 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Midazolam Injection	5 mg/ml	3 ml	5	1 Tray of 5 Ampoules in One Inner Carton

Injection - Ampoule	Midazolam Injection	5 mg/ml	10 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Vial	Midazolam Injection	1 mg/ml	5 ml	5	1 Tray of 5 Vials in One Inner Carton
Injection - Vial	Midazolam Injection	1 mg/ml	10 ml	5	1 Tray of 5 Vials in One Inner Carton
Injection - Ampoule	Morphine Sulphate Injection	10 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Morphine Sulphate Injection	15 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Nalbuphine Hydrochloride Injection	10 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Nalbuphine Hydrochloride Injection	20 mg/ml	1 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Naloxone Hydrochloride Injection	0.4 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection Pr - efilled Syringe	Naloxone Hydrochloride Injection	0.4 mg/ml	1 ml	1	1 Tray 1 PFS
Lyophilized Powder for Injection-Bottle	Para-amino Salicylate Sodium Lyophilized Powder for Infusion	13.49 g	14.45 g	1	1 Bottle in 1 Carton
Injection - Ampoule	Phenylephrine Hydrochloride Injection	10 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Vial	Phenytoin Injection	50 mg/ml	5 ml	5	1 Tray of 5 Vials in One Inner Carton
Injection - Vial	Remifentanil Hydrochloride Injection	1 mg/vial	N/A	5	5 Vials in 1 Carton
Injection - Vial	Remifentanil Hydrochloride Injection	2 mg/vial	N/A	5	5 Vials in 1 Carton
Injection - Vial	Remifentanil Hydrochloride Injection	5 mg/vial	N/A	5	5 Vials in 1 Carton
Injection - Ampoule	Salbutamol Injection	0.5 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Sterile Clonazepam Concentrate	1 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton

Dosage Form	Generic Name Injection	Strength	Volume	Pack size	Pack Type
Injection - Ampoule	Sterile Noradrenaline Concentrate	2 mg/ml	2 ml	5	1 Tray of 5 Ampoules in One Inner Carton
				10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Sodium Oxybutyrate Injection	200 mg/ml	10 ml	5	1 Tray of 5 Ampoules in One Inner Carton
Injection - Ampoule	Tramadol Hydrochloride Injection	50 mg/ml	1 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Tramadol Hydrochloride Injection	50 mg/ml	2 ml	10	1 Tray of 10 Ampoules in One Inner Carton
Injection - Ampoule	Tranexamic Acid Injection	100 mg/ml	5 ml	5	1 Tray of 5 Ampoules in One Inner Carton

TISSUE ADHESIVE					
Dosage Form	Generic Name	Strength	PACKING Fill Volume	Pack size	Pack Type
Tissue Adhesive Ampoule	n-Butyl Cyanoacrylate Tissue Adhesive	0.15 ml	0.15 ml	1	1 Ampoule in 1 Carton
		0.25 ml	0.25 ml	1	1 Ampoule in 1 Carton
		0.50 ml	0.50 ml	1	1 Ampoule in 1 Carton

SKIN CREAM				
Generic name	Strength	Packing fill volume	Pack size	Pack type
Diclofenac Gel	1% w/v	15 g	1	1 Tube in 1 Carton
		30 g	1	1 Tube in 1 Carton
Eflornithine Hydrochloride Cream	13.9% w/w	15 g	1	1 Tube in 1 Carton
		30 g	1	1 Tube in 1 Carton
Silver Sulfadiazine & Chlorhexidine Cream	1% w/w	15 g	1	1 Tube in 1 Carton
Terbinafine Hydrochloride Cream	1% w/w	15 g	1	1 Tube in 1 Carton

Dosage Form	Generic Name	Strength	Fill Volume	Pack size	Pack Type
Powder - Sachet	Eflornithine Granules for Oral Solution	1 g	5 g	28	28 Sachets in One inner Carton
Powder - Sachet	Ispaghula (Psyllium) Husk	3.5 g/Sachet	4.16 g	30	30 Sachets in One Inner Carton
Powder - Sachet	Oral Rehydration Salt	-	21.8 g	N/A	N/A
Powder - Sachet	Paracetamol, Pheniramine Maleate, Phenylephrine Hydrochloride & Ascorbic Acid Powder for Oral Solution (Sugar-free, lemon flavor)	325 mg + 20 mg + 10 mg + 50 mg/Sachet	3.5 g	10	10 Sachets in One Inner Carton
				20	20 Sachets in One Inner Carton
Powder - Sachet	Paracetamol, Pheniramine Maleate, Phenylephrine Hydrochloride & Ascorbic Acid Powder for Oral Solution (Sugar-free, lemon flavor)	650 mg + 20 mg + 10 mg + 50 mg/Sachet	3.5 g	20	20 Sachets in One Inner Carton
				30	30 Sachets in One Inner Carton
Powder - Sachet	Paracetamol, Pheniramine Maleate, Phenylephrine Hydrochloride Ascorbic Acid Powder for Oral Solution (Available in Lemon and Blackcurrant flavour)	325 mg + 20 mg + 10 mg + 50 mg/Sachet	21.5 g	20	20 Sachets in One Inner Carton
Powder - Sachet	Paracetamol, Pheniramine Maleate, Phenylephrine Hydrochloride & Ascorbic Acid Powder for Oral Solution (Available in Lemon and Blackcurrant flavour)	650 mg + 20 mg + 10 mg + 50 mg/Sachet	21.5 g	20	20 Sachets in One Inner Carton

SEVERE PAIN TRANSDERMAL PATCH To help to relieve severe ongoing pain caused by various conditions including pain after surgery, pain in cancer patients, etc					
Dosage Form	Generic Name	Strength	Fill Volume / Loading (If applicable)	Pack size	Pack Type
Transdermal Patch	Buprenorphine Transdermal Patch	5 mcg/hr	5 mg	2	2 Pouches of 1 Patch/Pouch in One Inner Carton
				3	3 Pouches of 1 Patch/Pouch in One Inner Carto
				7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Buprenorphine Transdermal Patch	10 mcg/hr	10 mg	2	2 Pouches of 1 Patch/Pouch in One Inner Carton
				3	3 Pouches of 1 Patch/Pouch in One Inner Carto
				7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Buprenorphine Transdermal Patch	20 mcg/hr	20 mg	2	2 Pouches of 1 Patch/Pouch in One Inner Carton
				3	3 Pouches of 1 Patch/Pouch in One Inner Carto
				7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Fentanyl Transdermal Patch	75 mcg/hr	9 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton
				5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Fentanyl Transdermal Patch	12.5 mcg/hr	1.5 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton
				5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Fentanyl Transdermal Patch	50 mcg/hr	6 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton
				5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Fentanyl Transdermal Patch	100 mcg/hr	12 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton
				5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Fentanyl Transdermal Patch	25 mcg/hr	3 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton
				5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Ketoprofen Patch	20 mg	20 mg	5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Ketoprofen Patch	30 mg	30 mg	5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Lidocaine Patch	350 mg	350 mg	5	5 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Lidocaine Patch	700 mg	700 mg	3	3 Pouches of 1 Patch/Pouch in One Inner Carton

Tobacco De-addiction - NICOTINE TRANSDERMAL PATCH					
Tobacco is one of the most abused substances in the world. Rusan Pharma provides various NRTs (Nicotine replacement therapy) for tobacco de-addiction treatment. NRT works by making it easier to abstain from tobacco by partially replacing the nicotine previously obtained from tobacco.					
Dosage Form	Generic Name	Strength	Fill Volume / Loading (If applicable)	Pack size	Pack Type
Transdermal Patch	Nicotine Transdermal Patch	7 mg/24 hrs	17.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch	14 mg/24 hrs	35 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch	21 mg/24 hrs	52.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Clear)	7 mg/24 hrs	14.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Clear)	14 mg/24 hrs	29 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Clear)	21 mg/24 hrs	43.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Skin)	7 mg/24 hrs	14.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Skin)	14 mg/24 hrs	29 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Nicotine Transdermal Patch (Skin)	21 mg/24 hrs	43.5 mg	7	7 Pouches of 1 Patch/Pouch in One Inner Carton
Transdermal Patch	Scopolamine Transdermal Patches	1.5	1.5 mg	10	5 Pouches of 2 Patch/Pouch in One Inner Carton

DISINFECTANT CHEMICALS

INFICIDE II 256 Technical Data Sheet

QAC based Surface & Environment disinfectant concentrate

AREAS OF APPLICATION :

Pharmaceutical
Hospitals
Dental Clinics
Nursing Homes
Pathological & Microbiology Lab
Dairy
Food and Beverage industry
Cold Storage
Animal Husbandry
Institutions

GENERAL DESCRIPTION : INFICIDE II 256 is a scientifically formulated blend of Latest generation Quaternary Ammonium Compounds, surfactants and stabilizers which on application completely eradicates bacteria, fungi, viruses, sporicidal pathogens and manifests sustained anti-viral action over applied surface areas of residential, commercial, industrial and public surroundings.

INFICIDE II 256 has high surfactancy and can work with slight amount of environmental dust. In case the surface is soiled with fat, oil or greasy material or visually very dirty then pre-cleaning with a surfactant based cleaner is required. No need to rinse with water after application unless the surface needs further treatment or coating. All food contact surfaces should be rinsed with potable water.

PHYSIOCHEMICAL DATA :

Alkyl Dimethyl Benzyl Ammonium Chloride IP..... 8.19% w/v
Didecyl Dimethyl Ammonium Chloride IP..... 8.70% w/v

BENEFITS :

- Broad spectrum terminal disinfectant
- Multi-disciplinary application as bactericide, fungicide, virucide, etc.
- One step disinfection, cost effective, hassle free usage
- Fast action, preventing re-contamination

Non corrosive, surface friendly nature

Cost effective dosage

Non-toxic, environment friendly

Sanitation by Mopping:

Depending upon the severity of soiling/ infection spread.

For semi-critical & critical/ high human contact areas, INFICIDE II 256 is used at a dilution of 0.4% - 0.8% (4 - 8ml in 1L water).

For non-critical/ less human contact areas, INFICIDE II 256 is used at a dilution of 0.2% (2ml in 1L water). Apply solution with mop, sponge, cloth, and allow a contact period of 10 minutes to air dry.

Sanitation by Spraying:

Method of spraying can be by Atomized pressure;

Dilution Ratio – 4ml in 1Litre of water (0.4%) for coverage of 250 sq.ft./ltr of solution. Sprayed and allowed a minimum contact time of 5 mins.

Post Spray – Rinsing after disinfection may not be required as the product leaves behind a fresh fragrance after application. In case of wet spraying, extra water can be pulled off with a wiper.

Shoe Dip:

Sanitation by shoe dip for all Plants and facilities of Pharma, Food and Beverage Industry, etc.

Dilution Ratio – 4ml in 1 Litre of water

Laundromats:

Linen disinfection can be achieved by INFICIDE II 256,

Dilution Ratio – 2ml in 1 Litre of water (0.2%)

Aerial Fogging:

In Healthcare, INFICIDE II 256 to be used at a dilution 0.8% (8ml in 1L of water) and fogged with ULV Fogger machine (Only for affected or critical areas) for indoor spaces, and allowed a time of 40 minutes before re-entry.

STORAGE : INFICIDE II 256 should be stored in original containers in cool dry place, away from heat, direct sunlight and alkalis. Store in cool and dry place.

HANDLING MEASURES : Proper safety products such as splash goggles, gloves, lab coat should be worn while handling and applying chemicals. Splashes on skin to be washed off with water immediately. In case of splashing into the eyes, flush them with fresh water and seek medical attention

PACKAGING : 1L and 5L cans

ADDITIONAL INFORMATION :

The composition of product is EPA registered.

Conforms efficacy

EN 1040 (Bactericidal)

EN 1276 (Bactericidal – dirty conditions)

EN 1650 (Fungicidal & Yeasticidal)

Prepare fresh solution for each use.

Note: Not to be used on electronics, open circuits or equipment.

INFICIDE PQ+ Technical Data Sheet

QAC and PHMB based Broad Spectrum Disinfectant

GENERAL DESCRIPTION :

INFICIDE PQ+ is a colourless, odourless liquid with a potent broad spectrum antimicrobial action combined with excellent cleaning power. It is broad spectrum terminal disinfectant designed for giving long lasting effect Industries and Healthcare. It remains active in presence of high organic content.

INFICIDE PQ+ is non-toxic and environment friendly properties make it versatile disinfection applications through-out the Pharma, poultry, dairy, food and beverage industry.

BENEFITS :

Potent broad spectrum disinfectant

Multi-disciplinary application as a disinfectant

Flexible and Cost effective dosage for application

Excellent material compatibility

Non-toxic and Environment friendly

PHYSIOCHEMICAL DATA

Appearance..... Clear colourless liquid

Colour..... Colourless

pH..... 5.50 to 7.50

Weight per ml at 25°C..... 0.800 to 1.100 g/ml

Solubility..... Completely soluble in water

Didecyl Dimethyl Ammonium Chloride IP..... 10% w/v

Poly Hexamethylene Biguanide Hydrochloride..... 3% w/v

DOSAGE & APPLICATION

Surface Disinfection:

For semi critical & critical areas, INFICIDE PQ+ is used at a dilution of 1.0 – 1.5% (10 - 15ml in 1L water). Apply solution with mop, sponge, cloth, and allow a contact period of 10minutes* to air dry.

For non-critical, INFICIDE PQ+ is used at a dilution of 0.5% (5 ml in 1L water). Apply solution with mop, sponge, cloth, and allow a contact period of 10minutes* to air dry.

* Provided data are derived from data available from academic references. The users are advised to finalize the data on the basis of their in-house testing study.

Air Fogging (Healthcare):

INFICIDE PQ+ to be used at a dilution of 1.5% (15ml in 1ltr. water) and fogged with ULV Fogger machine for indoor spaces, and allowed a time of 45 minutes before re-entry.

Prepare fresh solution for each use.

STORAGE

INFICIDE PQ+ should be stored in original containers in cool and dry place, away from sources of heat, flame and direct sunlight. Please refer Label and MSDS for details.

Shelf Life: 24 months from date of mfg. if stored properly.

HANDLING MEASURES : Proper safety products such as splash goggles, gloves, lab coat should be worn while handling and applying chemicals. Splashes on skin to be washed off with water immediately. In case of splashing into the eyes, flush them with fresh water and seek medical attention.

INFIZYME Technical Data Sheet

Multizyme (Bioactive Enzymatic Cleaner)

GENERAL DESCRIPTION

INFIZYME is highly effective, low foaming cleaner and stain remover with a neutral pH, biodegradable, non-flammable and non-toxic properties. It is ideal for pre cleaning, contaminated with mold and mildew. It is an effective cleaner prior to High Level Disinfection. It is a multi-enzymatic detergent and a unique formulation for flexible and rigid automatic or manual endoscope reprocessing. It provides rapid and more complete penetration and effective removal of bio-burden.

INFIZYME is effective in both manual and ultrasonic cleaning.

BENEFITS

- ❑ INFIZYME is compatible with critical, semi-critical & surgical instruments
- ❑ Highly effective, Low-foaming & Stain remover
- ❑ Designed for use during Ultrasonic, Automatic or Manual cleaning
- ❑ Fast acting formulation
- ❑ Neutral pH
- ❑ Safe at use dilution level

PHYSIOCHEMICAL DATA

Appearance..... A clear, colourless to pale yellow colour solution

pH at 25°C..... 7.50 to 9.50

Weight per ml at 25°C..... 1.00g/ml to 1.10g/ml

Solubility..... Soluble in water

COMPOSITION

Multi Enzymes - Protease, Amylase, Cellulase, Lipase

Non-Ionic Surfactant, Chelating Agents, Rust Inhibitors, pH-regulators & Stabilizer

DOSAGE & APPLICATION

For pre-cleaning of Surgical and Medical equipment’s before high level Disinfection / Sterilization.

Manual Cleaning:

Instruments are immersed in warm / normal water. INFIZYME is poured as per the recommended dilution as given below

for Moderate soiling – 1.0% (10ml in 1L of water)

for Heavy Soiling – 1.5% (15ml in 1L of water)

After a contact time of approx. 10-15 minutes, the instruments are removed, thoroughly rinsed with clean water and dried. Instruments which now appear spotless are conveyed to further processing.

Ultrasonic Cleaning:

Instruments are immersed in recommended dilution solution of INFIZYME i.e 0.5% (5ml in 1L of water).

After a contact time of approx. 1-5 minutes, in accordance with equipment manufacturer’s data. The instruments are removed, thoroughly rinsed with clean water and dried. Instruments which now appear spotless are conveyed to further processing.

If spots and stains have not yet been completely removed, which may be the case with discoloration built up over a long time, the treatment must be repeated.

Subsequently the Multi-enzymatic cleaner solution has to be rinsed out completely by sufficient rinsing.

Do not mix with other products. Only for professional use.

Prepare fresh solution for each use.

STORAGE

INFIZYME should be stored in original containers in cool and dry place, away from sources of heat, flame and direct sunlight. The product is sensitive to frost below - 15°C. Please refer Label and MSDS for details.

HANDLING MEASURES

Proper safety products such as splash goggles, gloves, lab coat should be worn

while handling and applying chemicals.
Splashes on skin to be washed off with water immediately. In case of splashing into the eyes, flush them with fresh water and seek medical attention.

PACKAGING

1L and 4L can